

Prepared for:
Winners Circle Wellness Corp
2185 E 74th Place
Denver, CO USA 80229


Runtz (THCA) Indoor

Batch ID or Lot Number: #48	Test: Potency	Reported: 02Jan2024	USDA License: N/A
Matrix: Plant	Test ID: T000266268	Started: 29Dec2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 28Dec2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.023	0.065	<LOQ	<LOQ	
Cannabichromenic Acid (CBCA)	0.021	0.059	0.620	6.20	
Cannabidiol (CBD)	0.058	0.164	<LOQ	<LOQ	
Cannabidiolic Acid (CBDA)	0.059	0.168	ND	ND	
Cannabidivarin (CBDV)	0.014	0.039	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.025	0.070	ND	ND	
Cannabigerol (CBG)	0.013	0.037	0.110	1.10	
Cannabigerolic Acid (CBGA)	0.054	0.154	0.530	5.30	
Cannabinol (CBN)	0.017	0.048	ND	ND	
Cannabinolic Acid (CBNA)	0.037	0.105	<LOQ	<LOQ	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.065	0.183	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.059	0.167	0.540	5.40	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.052	0.148	21.920	219.20	
Tetrahydrocannabivarin (THCV)	0.012	0.033	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.046	0.130	0.160	1.60	
Total Cannabinoids			23.880	238.80	
Total Potential THC			19.764	197.64	
Total Potential CBD			0.000	0.00	

Final Approval


Sam Smith
02Jan2024
01:37:00 PM MST


Karen Winternheimer
02Jan2024
01:39:00 PM MST

PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/54366f31-8953-488b-8d40-0aad341e266c>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
54366f318953488b8d40aad341e266c.1